

Experience Matters.

-SALES -ACQUISITIONS -CONSULTING

Southwest Florida Aviation 205 (BELL UH-1H) HUEY

SN: 9431



Variable





Max Cruis 117 KTS



Range (full seats) 274 NM

0\	/ERV	IEW

Van Horne Composite Main and Tail Rotor Blades

AIRFRAME

TOTAL HOURS SINCE NEW	14170
AIRCRAFT TO's	9058

Honeywell (Lycoming) T53- L-703 (Minuteman Aviation STC#SR01196LA)

LE-15521Z

9605

1290

290

ENGINES

Mechanical Specialties UH606 External Airframe Cargo Hook

Eagle Copters Vertical Reference Door with Bubble Window & Duplicate Engine Instruments

TIME SINCE OVERHAUL TIME SINCE HOT SECTION

SERIAL NUMBER

TOTAL HOURS

INSPECTION OVERVIEW

Next Phase Due 14,303.2 Engine TSOH Due 13,315 Engine TSHSI Due 10,515.1

Global Helicopter Technology Vertical Fin Spar

AFS Inlet Barrier Filter System

ADDITIONAL INFORMATION

Previous Bell Helicopter (US ARMY) SN: 67-17233 Restricted Category, SWFA TCDS H6SO (Rev. 5/2019) Current FAR Part 133

WETZEL AVIATION

Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

AVIONICS

Dual Altimeter- Falcon ALT100F-3 Audio Panel- National AMS42-44 Chronometer-AstroTech VHF Comm- Bendix King KY96ATSO VHF Comm-Garmin GTR225 ELT-Ameri-King AK450 GPS- Ifly 740 Transponder-Bendix King KT76A Turn Indicator- RC Allen A1050 Dual VSI- Falcon VSI2FM-3


MODIFICATIONS/INSTALLATIONS

-Precise Flight Pulselite Control System (STC SH3319NM) Installed 2007
-Onboard Systems Model E-47B Electronic Load Weighing System (Conformed to STC# SH475NM)
-Dual foot pedal manual release System
-Van Horne Composite Main Rotor Blades
-Van Horne Composite Tail Rotor Blades (STC# SR02051LA)
-Dart Aeropspace Ltd. High Cross Tubes
-Eagle Copters Ltd. Vertical Reference Door with Duplicate Engine Instruments and Bubble Window. Pro visions for Left Seat Pilot in Command. (STC# SJ92-54)
-BLR FastFin System (STC#01470SE)
-BLR Dual Tailboom Strakes(STC#SR00929SE)
-Global Helicopter Technology Vertical Fin Spar (STC#SR09257RC)
-AFS Inlet Barrier Filter System (STC#SR02358CH)
-Mechanical Specialties Model UH606 External Airframe Cargo Hook (STC#SR01946SE)
-AKV Inc. Cycle Counter (STC#SR02204LA)
-Alpine Aerotech Inc. Bear Paw Installation (STC#SR02772NY)



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.



EXTERIOR

BASE COLOROverall WhiteSTRIPE COLORSGray and Black Accent Stripes



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

AIRCRAFT TRACKING SYSTEM (OC	SSECOMPORENTS MU		COMPONENT ON	INTERVALO, DI		OE RETIKE					
ircraft Number	N911UH	Aircraft S/N	9431	A/C Time	14166.9	Engine TSN	9602.4	Run Date	Dec 31, 2024		
/F T/Os (FLTS)	9054	Alfcrait 5/N	9431	A/C Time	14100.9	Lifts/ Ext. Loads	39535	Run Date	Dec 31, 2024		
ircraft Model	SW205			HOBBS	7531.1	Ents/ Ext. Louus	00000				
					A/C TIME @						
COMPONENT	P/N	S/N	TBO/RET	TSO/TSN	INSTALL	REMOVE AT	RIN	Comp T/T	T/R	CURR/RIN	RIN/RMN
I/R Blade	205-015-150-101	AFS121	10000	4327.5	12735.3	18407.8		1966.6	4240.9		
I/R Blade	205-015-150-101	AFS172	10000	4070.5	12735.3	18664.8		2223.6	4497.9		
I/R Clevis Red	204-011-179-1	SS-00073	3600	1833.5	13340.5	15107.0		2659.9	940.1		
/R Clevis White	204-011-179-1	AM-1533	3600	1833.5	13340.5	15107.0		2659.9	940.1		
tab Bar Center Frame	204-011-307-001	Q19-145	15000	2392.0	6615.2	19223.2		9943.7	5056.3		
tab Bar Center Frame	204-011-307-001	Q19-146	15000	2392.0	6615.2	19223.2		9943.7	5056.3		
tab Bar Tube	212-010-311-101	EAFS-8359	00	0.0				7551.7			
tab Bar Tube	212-010-311-101	EAFS-11154	OC	0.0				7551.7			
/R Hub Assy.	204-012-101-139	ABG-6767	1200	0.0		14540.5		826.4	373.6		
I/R Grip Red	204-011-121-113	AFS-3248	17500	1120.5		29720.0		1946.9	15553.1		
/R Grip White	204-011-121-113	AFS-3669	17500	1120.5	13340.5	29720.0		1946.9	15553.1	000000	070.070
runion	204-011-105-001	A-FS3744	15,000	1120.5	13340.5	27,220.0	300,000	1946.9	13,053.1	20022	279,978
ast Assy ast Pole	204-040-366-015 204-011-450-105	A-3361 NFS-54890	2,500 15000	0.0		16,270.5	005 000	396.4	2,103.6	17000	017.040
ast Pole ast Bearing	212-040-136-001	JA-1251	15000 Due @ mast overhaul	0.0		28770.5	265,000	396.4	14603.6	47682	217,318
last Bearing oke	212-040-136-001	JA-1251 ITO-249	Due @ mast overhaul 7200	4659.8		Due @ mast overhaul			Due@ mast o		
oke IN OB Red	204-011-102-017	DIFS-19707	2400	4659.8	13340.5	15880.7 14620.0		5486.2 1946.9	1713.8 453.1		
IN OB White	204-012-104-005	DIFS-19707	2400	1120.5	13340.5	14620.0		1946.9	453.1		
IN IB Red	204-012-104-005	DIFS-19402 DIFS-19558	2400	1120.5	13340.5	14620.0		1946.9	453.1		
IN IB Red IN IB White	204-012-104-005	DIFS-19558 DIFS-19524	2400	1120.5	13340.5	14620.0		1946.9	453.1		⊢
utboard Strap Fitting Red	204-012-104-005	Q1-682	2400	1120.5	13340.5	14620.0		1946.9	453.1		├── ┤
utboard Strap Fitting White	204-012-103-001	A-8127	2400	1120.5	13340.5	14620.0		1946.9	453.1		
board Strap Fitting Red	ASI-4012-102-009	P3-147	2400	1120.5	13340.5	14620.0		1946.9	453.1		
board Strap Fitting White	ASI-4012-102-009	P3-147	2400	1120.5	13340.5	14620.0		1946.9	453.1		
ension Torsion Strap Red	204-310-101-101	LPFS-30147	2400	1120.5	13340.5	14620.0		1946.9		Dec 1-2015	
ension Torsion Strap White	204-310-101-101	LPFS-30065	2400	1120.5	13340.5	14620.0		1946.9		Dec 1-2015	
itch Horn	204-001-120-005	1228	00	8.3				7309.2		Dec 1-2013	
itch Horn	204-001-120-005	8228	00	8.3				7309.2			
cissor & Sleeve Assy.	204-011-401-11	RR19-0197	1200	0.0		14804.0		562.9	637.1		
cissor	204-011-406-13	HA-2366	3600	0.0		17204.0		562.9	3037.1		
cissor	204-011-406-13	HA-2384	3600	0.0		17204.0		562.9	3037.1		
wash Plate & Support Assy.	204-011-400-11	J119-7689	1200	0.0	13604.0	14804.0		562.9	637.1		
upport Assy.	204-011-404-005	MM-0572	3600	0		17204.0		562.9	3037.1		
ollective Lever	212-010-403-005	REFS1501	OC	0.0	12023.5			2143.4			
ollective Lever	212-010-403-005	REFS1502	OC	0.0				2143.4			
otating Bolt Kit	204-1629-2	R9	600	0.0		14204.0		562.9	37.1		
ain Transmission		A12-2149A	2000	0.0	13770.5	15770.5		396.4	1603.6		
lain Input Quill	205-040-263-111	A-1684	1500	0.0		15058.1		608.8	891.2		
anger Assy. 1	212-040-600-005	A-10350	3000	0.0		16408.5		758.4	2241.6	1	
anger Assy. 2	212-040-600-005	A-4145	3000	0.0	13408.5	16408.5		758.4	2241.6		
anger Assy. 3	212-040-600-005	A-4174	3000	0.0	13408.5	16408.5		758.4	2241.6		
anger Assy. 4	212-040-600-005	A-7678	3000	0.0	13408.5	16408.5		758.4	2241.6		
anger Bearing 1	204-040-623-3	N/A	3000	0.0		16408.5		758.4	2241.6		
anger Bearing 2	204-040-623-3	N/A	3000	0.0	13408.5	16408.5		758.4	2241.6		
anger Bearing 3	204-040-623-3	N/A	3000	0.0		16408.5		758.4	2241.6		
anger Bearing 4	204-040-623-3	N/A	3000	0.0		16408.5		758.4	2241.6		
oupling Repack	N/A	N/A	600	0.0	13997.2	14597.2		169.7	430.3		
oupling Repack	N/A	N/A	600	0.0		14597.2		169.7	430.3		
oupling Repack	N/A	N/A	600	0.0		14597.2		169.7	430.3		
oupling Repack	N/A	N/A	600	0.0		14597.2		169.7	430.3		
2 Degree Gear Box Assy.	212-040-003-023	APC-2191	5000	2007.4	13272.2	16264.8		2902.1	2097.9		
Degree Gear Box Assy.	204-040-012-13	B13-3978	1500	45.5	13558.1	15012.6		654.3	845.7		
ail Rotor Hub Assy.	204-011-801-121	GR29-2050	1500	0.0		14927.8		739.1	760.9		
ail Rotor Yoke	204-011-722-5	GR29-2278	1500	0.0		14927.8		739.1	760.9		
ail Rotor Grip	205-011-711-101	AFS-9918	2500	0.0	13427.8	15927.8		739.1	1760.9		
ail Rotor Grip	205-011-711-101	AFS-9891	2500	0.0		15927.8		739.1	1760.9		
ail Rotor Blade	2042200-103	A516	2400	1808.3	13862.6	14454.3		2112.6	287.4		
ail Rotor Blade	2042200-103	A518	2400	1808.3	13862.6	14454.3		2112.6	287.4		
levator Assy R/H	205-030-856-21	DD518524	3600	2641.0	13532.2	14491.2		3275.7	324.3		
levator Assy L/H	205-030-856-121	AB0006	OC	1111.7	8320.7	oc		6957.9	oc		



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

Elevator Horn Assy	205-001-914-25	RDFS233	4800	0.0	12901.8	17701.8	1265.1	3534.9
Oil Cooler Bearing	9101PP	N/A	450	0.0	13865.1	14315.1	301.8	148.2
Oil Cooler Bearing	9103PP	N/A	450	0.0	13865.1	14315.1	301.8	148.2
Tail Rotor Slider	204-010-720-3	AZFS-415	3000	0.0	13268.3	16268.3	898.6	2101.4
AD number or SB Inspection	Inspect. Hour		Description	TT C/W	TT Due	Time Rem.		
GHT-392-105 Form A	150 Hour	Visual Insp Ver	tical Fin Spar	14153.2	14303.2	136.3		
GHT-392-105 Form B	300 Hour	Visual Insp. Fw	d. Verticle Fin Spar	14153.2	14453.2	286.3		
AD 83-03-03 Tailboom Insp. Xray	500 Hour	X-ray		14069.7	14569.7	402.8		
AD 83-03-03 Tailboom Visual Insp.	100 Hour	Visual Inspection	on	14153.2	14253.2	86.3		
AD 2021-15-14 Longeron Attach Points	150 Hour	Visual, TQ chec	ck	14153.2	14303.20	136.30		
Phase Inspection	150 Hour	Phase Maint.		14153.2	14303.2	136.3	 	
ASB Uh-1h-17-19	12mo / 300hr	Mag Brak Asy	C/w 12/14/24 14153.2	14153.2	14453.2	286.3		
AD2020-00645EngDriveShaft	300 Hours	Visual Insp. En	gine Dr. Shaft	14153.2	14453.2	286.3		
Eng Dr Sft (skcp2281-103 3492) Remvl	5000 Hrs	Retire		12695.9	17695.9	3529.0		
	Inpection Month		2	DATE/HR/CW	DATE/HR/DU		 	
133 OPERATING CERTS RENEWAL	24 months	Renewal		2-Oct-23	2-Oct-25			
A/C Fire Extingishers	12 Month	Inspection		Feb 12, 2024	1-Feb-25	0		
Mag Compass	12 Month	Inspection		12-Feb-24	1-Feb-25			
ELT	12 Month	Inspection		12-Feb-24	1-Feb-25			
Pitot Static/Transponder	24 Month	Pressure and T	ransponder Test	20-Apr-23	4/20/2025			
A/C Weight & Balance	24 Month	Weight & Balan	ice	27-Jun-22	N/A			
Remote Hook Insp. (s/n 101-103)	5 year	Overhaul		1/29/2022	1/29/2027			
Remote Hook Insp. (s/n 108-10T)	5 year	Overhaul		1/29/2022	29-Jan-27			
A/F Cargo Hook (s/n 111-058)	3 years	Overhaul		Installed 10/202	10/26/2025			
Heli bridle 5 year retirement	5 years	Retire		Installed 6/2022	6/30/27			
Heli bridle 3 month inspection	3 months	Inspection		11/22/24	2/22/25			
ASB UH-1H-22-23 /Part 3/ 600hrs	600Hrs	Torque Check		13879.6	14479.6	312.7	 	
ASB UH-1H-22-23 /Part 3/ 12mos	12months	Torque Check		Jun 17, 2024	6/17/2025			
ASB UH-1H-22-23 /Part 4/ 5000hrs	5000Hrs	T/B Removal		13082.4	18082.4	3915.5		
ASB UH-1H-22-23 /Part 4/ 5years	5 years	T/B Removal		7/22/2022	7/22/2027			
AD 2022-22-12 Fwd Xtube	20000 landings	Retirement		0.0	20000.0	10946.0		
AD 2022-20-14 xmsn 3000hr(screws)	3000Hrs	Inspection		12668.0	15668.0	1501.1		
AD 2022-20-14 xmsn case mounts	6000 Hrs	FPI		12668.0	18668.0	4501.1		
Load cell strain gauge	5 years	Overhaul		4/18/2023	4/18/2028			



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

Description	P/N	S/N	Comp Time @ Install	Comp Cycles @ Install	Engine Time @ Install		Comp Total Time	Comp Cummula tive Cycles	Comp Hours Limit	Comp Cycles Limit	Comp Hours Rmng	Comp Cycles Remain		
Shaft, Front Compressor	1-100-495-07	80C067	0.0	0.00	519.0		2504.00	6323.64	25000	25000	22496.00	18676.36		
Rotor,Sub-Assembly	1-101-250-03	M272343	0.0	0.00	519.0		2504.00	6323.64	12000	16500	9496.00	10176.36		
Impeller, Centrifugal	1-100-078-13	17-162246-04522	0.0	0.00	2826.0		197.00	0.00	15800	14000	15603.00	14000.00		
Shaft, Rear Compressor	1-100-501-01	1A1468	0.0	0.00	519.0		2504.0	6323.64	25000	25000	22496.00	18676.36		
Shaft, Main Power	1-100-800-04	8985	1800.0	1800.0	519.0	с	4304.0	5821.54	25000	25000	20696.00	19178.46		
1ST G.P. Disc	1-103-035-01	1316852205658	0.0	0.0	2812.4		210.6	3598.97	50000	30000	49789.40	26401.03		
Sealing Disc, 1st G.P.	1-100-545-03	C777	1179.0	2358.0	911.0		3291.0	5502.37	25000	16800	21709.00	11297.63		
G.P. Spacer	1-100-546-02	D684	0.0	0.00	911.0		2112.0	5502.01	25000	13600	22888.00	8097.99		
2nd G.P. Disc	1-100-063-05	M60233	3746.0	7492.0	911.0		5858.0	12994.01	25000	25000	19142.00	12005.99		
Sealing Disc, 2nd G.P.	1-100-544-03	A0087	0.0	0.00	911.0		2112.0	5502.01	25000	25000	22888.00	19497.99		
1st P.T. Disc	1-190-009-05	A083	1065.0	1065.0	911.0		3177.0	4459.50	9000	6000	5823.00	1540.50		
Power Turbine Spacer	1-140-169-04	227	0.0	0.00	1285.0	9 	1738.0	3394.50	25000	15000	23262.00	11605.50		
2nd P.T. Disc	1-140-272-04	275711	1311.0	1311.00	911.0		3423.0	4705.50	10800	8000	7377.00	3294.50		
Regulator, Main Fuel	1-170-780-01	6ADS0402	1246.4	S	2826.0		1,443.4	ŝ	See row 23		See 23	2		
Overspeed Governor	1-160-850-23	652AM2832	4112.7		2826.0		4,309.7		See row 24		See 24			
Engine Assy T-53-L703	1-000-060-23	LE-09407Z	OVHL Every	3000	Last Eng. OH @	1915.0	Eng OH due	4915.0	Eng OH/TR	1892.0				
Hot Section Inspection			HOT END	Per STC	Last Hot End Insp.	2826.0	H.E. Due At	4026.0	H.E. TT R	1003.0				
	Engine TSN	3023.0	Eng Starts	4299			COMP CYC	4420.602	IMP CYC	5430.270				
							GP CYC	3598.966	PTCYC	2118.500		13879.6	Aftt	
AD number or SB Inspection	Inspect. Hour	De	scription		Eng Time @ Install	Comp Time @ Install	Last OH	OH Due	Last Mid	Mid Due	CompTT	OH T.R.	Mid TR	
SB T53-L-703-0024	2500OH/1250mid	Fuel Reg. TBO&M	idlife Insp. (0402)		2826.0	1246.4	1246.4	3746.4	1246.4	2496.4	1,443.4	2,303.0	1,053.0	
SB T53-L-703-0024	3000 Hr OH	Overspeed Gov. (2	2832)		2826.0	4112.7	3000.0	6000.0	N/A	N/A	4,309.7	1,690.3	N/A	
									_					
10 0000 11 10	1050 hr	Online Inconstitut	First Dec (0400)	1 1				C/W	Due		CompTT		Insp TR	
AD 2006-11-16	1250 hr		Fuel Reg (0402)		a fa			1246.4	2496.4		197.0		2,299.4	
AD 2002-03-01	1000 hr	Red GB Vibe CK		1	n/a	n/a		2757.2	3757.2				734.2	



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

Description	P/N	S/N	Comp Time @ Install	Comp Cycles @ Install	Engine Time @ Install
Shaft, Front Compressor	1-100-495-07	32854-429	181.0	181.00	8315.0
Rotor,Sub-Assembly	1-101-250-04	M226952	4539.6	4539.60	8315.0
Impeller, Centrifugal	1-100-078-13	181800496	3172.0	3172.00	8315.0
Shaft, Rear Compressor	1-100-501-01	11 102	13162.0	13162.00	8315.0
Shaft, Main Power	1-100-800-04	17-169163-00978	0.5	0.50	8315.0
1ST G.P. Disc	1-103-035-01	50335701725	2990.5	5981.0	8315.0
Sealing Disc, 1st G.P.	1-100-545-03	971365117816	4263.0	8526.0	8315.0
G.P. Spacer	1-100-546-02	1326201223	4263.0	8526.00	8315.0
2nd G.P. Disc	1-100-063-05	M60921	6166.0	12332.00	8315.0
Sealing Disc, 2nd G.P.	1-103-039-01	18-168522-08159	0.0	0.00	8315.0
1st P.T. Disc	1-190-009-05	B041	2432.0	2432.0	8315.0
Power Turbine Spacer	1-140-169-04	4A-673	4297.0	4297.00	8315.0
2nd P.T. Disc	1-140-272-04	A447	864.0	864.00	8315.0
Regulator, Main Fuel	1-170-240-60	662AL5149	3009.7		8676.5
Overspeed Governor	1-160-850-16	02AL3143	2094.8	10 (M 2018)	8322.8
Engine Assy T-53-L703	1-000-060-23	LE15521Z	OVHL Every	5000	Last Eng. OH @
Hot Section Inspection	1-000-000-23		HOT END	Per STC	Last hot end inspection.
Hot Section Inspection	Engine TSN	9602.4	Eng Starts	744	Last not end inspection.
	•		5		
AD number or SB Inspection	Inspect. Hour	De	scription		Eng Time @ Install
SB T53-L-703-0024	2500OH/1250mid	Fuel Reg. TBO&M	idlife Insp. (5149)		8676.5
SB T53-L-703-0024	3000 Hr OH	Overspeed Gov. (0	02AM15333)		8322.8
AD 2006-11-16	1250 hr	Spline Inspection	Fuel Reg (5149)		8676.5
AD 2022-10-02	1000 hr	Red GB Vibe CK			n/a
			TSO		Eng Time @ Install
Fuel Manifold Assembly	1-130-730-02	OC-190-13	0		215.1
Fuel Manifold Assembly	1-130-730-02	9C-966B	0		9315.1
r der mannola Asseniory	1 100-100-02	00000	0		5515.1



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

Engine Cycles @ Install	Comp Total Time		Comp Hours Limit	Comp Cycles Limit	Comp Hours Rmng	Comp Cycles Remain	Eng TQ Evnts@In stall	Eng Fits@ Install
0.00	1468.40	2018.68	25000	25000	23531.60	22981.32	0	0
0.00	5827.00	6377.28	12000	16500	6173.00	10122.72	0	0
0.0	4459.40	4912.56	15800	14000	11340.60	9087.44	0	0
0.00	14449.4	14999.68	25000	25000	10550.60	10000.32	0	0
0.00	1287.9	1250.20	25000	25000	23712.10	23749.80	0	0
0.00	4277.9	7981.696	50000	30000	45722.10	22018.30	0	0
0.00	5550.4	10526.696	25000	16800	19449.60	6273.30	0	0
0.00	5550.4	10526.70	25000	13600	19449.60	3073.30	0	0
0.00	7453.4	14332.70	25000	25000	17546.60	10667.30	0	0
0.00	1287.4	2000.70	25000	25000	23712.60	22999.30	0	0
0.00	3719.4	3681.70	9000	6000	5280.60	2318.30	0	0
0.00	5584.4	5546.70	25000	15000	19415.60	9453.30	0	0
0.00	2151.4	2113.70	10800	8000	8648.60	5886.30	0	0
	3,935.6		See row 23		See Row 23			
	3,374.4	(1)	See row 24		See Row 24			
8315.0	Eng OH due	13315.0	Eng OH/TR	3712.6				
9315.1	H.E. Due At	10515.1	H.E. TT R	912.7				7
	COMP CYC	1837.676	IMP	1740.560				
	GP CYC	2000.70	PT CYC	1249.7		14166.9	TTAF	
Comp Time @ Install	Last OH	OH Due	Last Mid	Mid Due	CmpTT	OH T.R.	Mid TR	
3009.7	1800.0	4300.0	N/a	N/a	3,935.6	364.4	N/a	
2094.8	779.0	3779.0	N/A	N/A	3,374.4	404.6	N/A	
		C/W	Due		Cmp TT		TR	
0	0		2459.7		925.9	· · · · · ·	1533.8	1
n/a		9306.2	10306.2		520.5	(i	703.8	
Comp Time @Install	TSO	Comp TSO						
Unknown	0	287.3						
Unknown	0	287.3		-		2 P	12 C	21 C



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

SPARE PARTS AND EQUIP	MENT	Feb 26,2023				
COMPONENT	P/N	S/N	TBO/RET	TSO/TSN	Comp T/T	T/R
Engine	T53-L-703	Le-09407	4915.0	3023.0	3023.0	1892.0
M/R Hub Assy.	204-012-101-141	ABG-0356	2000.0			1
M/R Grip	204-011-121-113		17500		16000	1500
M/R Grip	204-011-121-113		17500		16000	1500
Trunion	204-011-105-001		15,000	0.0	275.2	14,724.8
Yoke	204-011-102-017		7200		3814.5	3385.5
PIN OB Red	204-012-104-005		2400	275.2	275.2	2124.8
PIN OB Wht.	204-012-104-005		2400	275.2	275.2	2124.8
PIN IB Red	204-012-104-005		2400	275.2	275.2	2124.8
PIN IB Wht.	204-012-104-005		2400	275.2	275.2	2124.8
Outboard Strap Fitting Red	204-012-103-001		2400	275.2	275.2	2124.8
Outboard Strap Fitting Wht	204-012-103-001		2400	275.2	275.2	2124.8
Inboard Strap Fitting	ASI-4012-102-009		2400	275.2	275.2	2124.8
Inboard Strap Fitting	ASI-4012-102-009		2400	275.2	275.2	2124.8
Tension Torsion Strap Red	204-310-101-101		2400	275.2	275.2	2124.8
Tension Torsion Strap Wht.	204-310-101-101		2400	275.2	275.2	2124.8
Scissor & Sleeve Assy.	204-011-401-11	Md19-6471	1200	0	3454.0	1200.0
Scissor & Sleeve Assy.	204-011-406-13	lt-11625	3600	2303.9	1122.8	2477.2
Scissor	204-011-406-13	lt-6293	3600	2303.9		
Scissor	204-011-406-13	11-6293	3600	2303.9	1122.8	2477.2
Swash Plate & Support Assy.	204-011-400-11	J1-19-2212	1200	0	7912.0	1200.0
Support Assy.	204-011-404-005	MM-6001	3600	0.0	2254.9	1345.1
Collective Lever	212-010-403-005	EA-5835	oc	0.0	2272.6	00
Collective Lever	212-010-403-005	EA-5090	00	0.0	2272.6	
	212-010-403-005	EA-3090	00	0.0	2272.0	
Main Transmission	204-040-016-005/MAI-1	ABU-11342	2000	1102.5	0.0	897.5
Main Input Quill	205-040-263-111	A-1684	2000	890.1	0.0	1109.9
Hanger Assy. 1			ос	0.0		OC
Hanger Assy. 2			OC	0.0		OC
Hanger Assy. 3			OC OC	0.0		OC
Hanger Assy. 4			OC	0.0		OC
Hanger Bearing 1			600	0.0	0.0	600.0
Hanger Bearing 2			600	0.0	0.0	600.0
Hanger Bearing 3			600	0.0	0.0	600.0
Hanger Bearing 5			600	0.0	0.0	600.0
nanger bearing 4			000	0.0	0.0	000.0



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

SPARE PARTS AND EQUI	PMENT	Feb 26,2023				
COMPONENT	P/N	S/N	TBO/RET	TSO/TSN	Comp T/T	T/R
Engine	T53-L-703	Le-09407	4915.0	3023.0	3023.0	1892.0
Hanger Assy. 1	212-040-600–11	Htr- 021588	3000	0.0	0.0	Overhauled
Hanger Assy. 2	212-040-600-11	Htr-2214	3000	0.0	0.0	Overhauled
Hanger Assy. 3	212-040-600-11	Htr-5148	3000	0.0	0.0	Overhauled
Hanger Assy. 4	212-040-600-11	Htr-589	3000	0.0	0.0	Overhauled
Hanger Bearing 1	204-040-623-3	none	OC	0.0	0.0	
Hanger Bearing 2	204-040-623-3	none	OC	0.0	0.0	
Hanger Bearing 3	204-040-623-3	none	OC	0.0	0.0	
Hanger Bearing 4	204-040-623-3	none	OC	0.0	0	
42 Degree Gear Box Assy.	212-040-003-023	Vlc-12318-1-1	5000	105.8	Unkwn	4894.2
90 Degree Gear Box Assy.	204-040-012-013	ABC-410	1500	0.0	Unknown	1500.0
Tail Rotor Hub Assy.	204-011-801-121	VLC-15176-7-1	1500	1342.9	1921.4	157.1
Tail Rotor Yoke	204-011-722-5	A3-20973	1500	1460.9	1460.9	39.
Tail Rotor Grip	205-011-711-101	IMPT-2459	2500	2475.9	2475.9	24.
Tail Rotor Grip	205-011-711-101	IT-2150	2500	2475.9	2475.9	24.
Tail Rotor Blade	204-011-702-121	A26958	1200	397.8	397.8	802.3
Tail Rotor Blade	204-011-702-121	A26972	1200	397.8	397.8	802.2
Oil Cooler Fan	204-062-540-001	4890879	ос	0.0	unkwn	OC
High Skid Gear						
High Xtube Fwd	205-050-403-031					NDT'd
High Xtube Aft	205-050-403-111					NDT'd
Skid Tube/ Wear Plates	412-050-030-101					oc
Skid Tube/ Wear Plates	412-050-030-102					OC
Metal main rotor blades	204P2100-103	A190	2600		67.3	2532.7
Metal main rotor blades	204P2100-103	A191	2600		67.3	2532.7



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

		Rampar	t Helicopte	r Services, LLC			
		Parts In	ventory an	d Tracking Log			
Audited 2/26/2023	D. d No.						
Part Description	Part No.	Serial No.	Qty	Condition	Location	Papers	Last Inv.
Main Components							
TR Control Tube	204-010-742-009		1	NS	hangar	Y	9/22/16
TR Yoke	204-011-722-005	GR29-2797	1	AR	hangar	N	8/13/14
TR Quill Sh. Housing	204-010-775-003	n/a	2	NS	hangar	Y	8/13/14
Stab Bar Damper	SGT520-6		0	AR	hangar	Y	8/13/14
Stab Bar Damper	204-010-937-007	B9591	1	OH	hangar	Y	12/27/17
Damper Assy. Xmsn	SGT1270-1	7945, 5737,7168	3	AR	hangar	Y	12/21/16
Oil Cool Fan	204-062-540-1	4890879	1	OH	hangar	Y	10/16/15
Eng Filter Housing	30-40-4001, 1840-4017	14.20.000000000	1	AR	hangar	N	8/13/14
Hyd Tube	205-076-159-1	n/a	1	NS	hangar	n/a	8/13/14
Dzus Rail	5 foot long	n/a	1	NE	hangar	n/a	8/13/14
Eng Acc Dr Gearbox	lotoctong	n/a	0	OH	hangar	N	8/13/14
Belly Hook Assy	Mech. Spec. 606		0	FN	hangar	Y	8/13/14
C/B TR Blades	204-2200-101	A013,A014	2	AR	hangar	Y	9/28/14
TR Blades Vanhorn					hangar		0/20/11
TR Blades Metal	(See spares list)				inongo:		
T/R Quill assy.	204-010-740-5		1	AR	hangar	N	8/23/15
Slider, Tail Rotor	204-010-720-3	V1154	1	AR	hangar	Y	5/11/16
Fuel boost cartrdg	2C27-3	3AD 76 2	1	OH	hangar	Y	8/23/15
Fuel boost cartrg	2C27-3	4AM109	1	ОН	hangar	Y	10/13/15
Aux Tank Boost Pump	205-061-622-3	1M 48	1	AR	aux tank	N	12/21/16
Hydro. Pump	PV3-044-8	MX-377788D	1	OH	hangar	Y	5/11/16
Linear act	Sylc9190-10	4	-		hangar	Y	5/11/16
Eng fuel manifolds					hangar	N	
ELECTRICAL					(in the second se		
Start Generator	204-050-200	9510	1	OH	hangar	Y	12/8/17
Search Light Bulb	4581	n/a	1	NE	hangar	n/a	8/13/14
Search Light Bulb	4553	n/a	2	NE	hangar	n/a	8/23/15
Strobe Beacon	A469B	n/a	1	NE	hangar	n/a	8/13/14
Com VHF Antenna	C1-121	n/a	1	NE	hangar	Y	8/13/14
Strobe Assy/Lens	A470A	n/a	1	NS	hangar	N	8/13/14
Voltage Reg.	MS18071-12	BV10877B	1	OH	hangar	Y	11/16/17
Inverter		51100115	-	OH	hangar	Y	5/11/16
Start Gen. Brushes							0
Tach generators	32005-007	-	8	NE	hangar		



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

				r Services, LLC			
		Parts Ir	nventory an	d Tracking Log		-	
Audited 2/26/2023			_	1			
Part Description	Part No.	Serial No.	Qty	Condition	Location	Papers	Last Inv.
INSTRUMENTS	Later		1997			Lopanz	
Altimeter	5934P-3			OH	hangar	Y	3/29/17
Press. Ind.	MS28010-8	6153	1	ОН	hangar	Y	1/29/16
Oil press. Ind.	86426-4			oh	hangar	Y	8/7/15
Voltmeter	MS24332-1	AS115	1	oh	hangar	Y	8/7/15
EGT ind.	157800 mj2	857	1	ОН	hangar	Y	8/7/15
Oil press. Ind.	71117-1	8758	1	oh	hangar	Y	8/7/15
Oil temp ind.	MS28009-2	449/2500	2	SVC	hangar	Y	8/21/15
IVSI	RC30V	T1077-35	1	oh	hangar	Y	10/13/15
Loadmeter	MS25025-1		2	oh	hangar	Y	8/7/15
Turn & Bank	3907-2K-A2-4				hangar	Y	8/7/15
Airspeed ind.	MS28045-T2	234837/249627	2	oh/oh	hangar	Y	8/21/15
Dual Tach	204-070-155-001	B035	1	Oh	hangar	Y	8/7/15
Oil press. Ind.	217-00141 MO-2	21440	1	oh	hangar	Y	8/21/15
Fuel press. Ind.	SR 6A MS28010-1	14857	1	oh	hangar	Y	8/21/15
Fuel press. Ind.	18-1101	6683	1	inspected	hangar	Y	8/21/15
Wet compass	2300L4-24		1	AR	hangar	Y	8/14/14
Fuel press switch	98505-40210		1	AR	hangar	Y	3/31/17
Parts need O/H or Core	e Exchange						
Cyclic Stk Assy	204-001-334-15	A98886	1	AR	hangar	N	8/13/14
Hot Air Valve	204-060-444	716		AR	hangar	N	8/13/14
Pylon Isolation Mt	204-031-927-7	n/a	4	AR	hangar	N	8/13/14
Fuel Boost Pump	2C27-3	4A 109	1	AR	hangar	N	10/13/15
Inverter	MS 21983-1	3485	1	AR	hangar	N	10/13/15
Fuel Flow Switch	205-061-635-5	15539	1	AR	hangar	N	10/13/15
Oil Press. Xmtr	418-00044	6631264	1	AR	hangar	N	10/13/15
Oil Press. Xmtr	418-00044	6750164	1	AR	hangar	N	10/13/15
Damper, Pylon	204-031-920-3		2	AR	hangar		12/8/15
5th Mount Support	204-030-060-001		1	AR	hangar	Y	5/11/16
Struct. Support	209-031-344-1		1	AR	hangar	N	5/11/16
Pylon Idler Mnt	J12292-1		1	AR	hangar	N	5/11/16
Contraction and the second second second second	1000 C 1000 D 000 C 000 C 000		1.12	0.000			-



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

	Rampart Helicopte	er Services, l	LLC			Y BIN 2/ 2A Name	Part No. SEALS/ BUSHINGS	Serial No.	Qtv	Condition	Alt. No. Location
	Yellow Bins	Inventory				Seal	204-040-244-1		1	FN	Location
					85 6	Seal	204-040-611-001		2	FN	
Y BIN 1/1A	Part No.	Serial No.	Qty	Condition	Alt. No.	Seal	212-340-100-103		1	FN	÷
Name	BEARINGS					Seal	1-300-232-02		1	FN	
	A CONTRACTOR OF A CONTRACTOR O	1	1		Location	Seal	1-300-235-02		1	FN	
Bushing, Sleeve	120-014-5A		3	FN		Seal	451883-H19		1	FN	
Rod Ends	204-011-119-01		2	FN/AR		Seal	451858-H60		2	FN	
Bearing	204-011-310-001		2	FN		Seal	71X7062		2	FN	
Rod Ends	209-001-053-1		1	FN		Seal	55BR200-140-3C		2	FN	
Rod Ends	S1820-4		0	FN		Seal	532979-341G99	8	0	FN	-
Bearing	204-011-412-001		3	FN		Seal	542872		0	FN FN	
Bearing	204-011-769-001		1	AR	0	Seal Seal	NAS1598-4Y MS9020-05		2	FN	
Bearing	LHVA5-26		0	FN		Seal, Magnetic	144-517		2	FN	
Bearing	MS14102-4		4	FN		Bushing, Sleeve	20-010-15-5-12-5		2	FN	
Snap Ring	MS16625-1062		4	FN		Bushing, Sleeve	20-010-15-5-29-5		2	FN	
Bearing	MS10025-1002 MS27640-4	7	0	FN		Xmsn input quill seal	212-340-113-101		3	FN	
•		1	3	FN		Seal	212-340-103-101		1	FN	
Bearing	MS27640-5					Y BIN 3	Part No.	Serial No.	Otv	Condition	Alt. No.
Bearing	MS27641-4		5	FN		Name	SHIMS	<u>benunnen</u>	24	<u>contantion</u>	Location
Bearing	MS27641-5		5	FN		Shim	204-030-931-5	1	4	AR	and the second second second
Bearing	MS27641-6		12	FN		Shim	100-055-5		2	FN	100-055-
Bearing	MS27641-8		4	FN		Shim	205-030-891-5		8	FN	
Bearing	MS27641-10		_7	FN		Shim	120-045-35-29		2	FN	
Bearing	MS27643-4		4	FN		Shim	120-004-C54-45		2	FN	
Bearing	9101PP/ 6001		2	FN		Shim	120-006C15-0		12	FN	
Bearing	9103PP/ 6003		1	FN		Shim	120-006C38-29		2	FN	
Bearing	15819-11		6	FN		Shim	120-006C60-45	2	2	FN	
Bearing	LS-4		2	FN		Shim	120-006C77-71		2	FN	
Bearing	KSP9001-5		1	AR		Shim	120-008C28E20		10	AR	
Bearing	MS28913-5C		1	FN	9	Shim	120-038-28-8		4	AR	
Rod Ends	MS21150-2		1	FN		Shim	1560-UH1-981		4	AR	
	204-010-433-1		2	FN		Brg Plate Xmsn	204-040-736-1	<u>.</u>	4	AR	
Bearing(gimble)					9	Brg Plate Xmsn	204-040-236-1 S11154-3ATS		4	AR FN	
Liner for coll LVR-8brgs			4	FN		Grommet fairlead M/R drag brace shim	120-008C58E29		7	FN	-
	KP6A		7	NS		Eng. tripod shim	120-000030E29		4	FN	
Bearing	IN ON							1	1.77	LT IN	
Bearing Rod end	047-140-253-3		3	NE			120-045-27-17	1	4	FN	901 1
.			3 3	NE NS	2	Drive link to scissor shin Coll lvr to swash suppor			4	FN FN	



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience matters.

<u>Y BIN 4</u>	Part No.	Serial No.	Qty	Conditio	Y BIN 6	Part No.	Serial No.	Qty	<u>Condition</u>	Alt. No.
Name	ELECTRICAL			and a state of the second	Name Olad. Oirs Dafuel	FUEL SYSTEM		4		<u>Location</u>
	and the second second second second	1	0	I TNI	Clsd. Circ Refuel Liq. Xsmit Assy.	209-060-651-5 205-061-633-17		1	OH AR	
Avionics Fan	FN-100B		0	FN	Liq. Xsmit Assy.	205-061-633-19	 	1	OH	
Proj. Enclosure	270-1801		2	FN	Lig. Xmtr Wire	30-286-20-1	Wire	35'	FN	
Switch, Toggle	8833K4		0	FN	Fuel Press. Switch	205-061-635-3		1	SV	
Switch, Toggle	MS24524-23		0	FN	Tank Flap Valve	205-061-643-3		1	AR	
Switch, Toggle	MS24523-23		0	FN	Fuel Tnk. Adapter	1-891-1	[1	FN FN	
Switch, Trigger	A218-000942-02		2	FN	Fuel Tnk. Adapter Elbow, Tube	1-892-1 AN833-10		0	AR	
Switch, Foot, PTT	MS25039-1	-	1	FN	Check Valve	488-8D1-1-4		0	AR	
And and an other statements of the statement of the state	M8805-04		1	FN		205-061-645-1		1	AR	
Switch, Cyc. PTT					Start fuel manifold gaske			4	FN	
Resistor	271-0265		3	FN	Main fuel manifold bolt	STD3061-12		A lot	AR	
Potentiometer	271-1715		2	FN	V DIN 7	Dout No.	Carial No.	0	Condition	
Landing Lt. Motor	A6532		1	SVC	Y BIN 7	Part No.	Serial No.	Qty	Condition	Alt. No.
Landing Lt. Cover	B-6938		1	AR	Name	FILTERS	1	40		Location
Search Lt. Cover	G 6250-4		1	AR	Hyd. Filter Hyd. Filter	AN6235-2A 205-076-034-3		10 5	FN FN	
Start Gen. Brushes	30300-1282		8	FN	Eng. Filter	204-040-760-5		0	FN	
					Oil/Fuel Filter	204-040-760-13		6	FN	TOP SHELF
Start Gen. Brushes	1110489		8	AR	FCU filter	573375		12	FN	
T1 Transformer	Unkwn		1	AR						
					Y BIN 8	Part No.	Serial No.	Qty	Condition	Alt. No.
Y BIN 5	Part No.	Serial No.	Qty	Conditio	Name	T/R PARTS		i den sette i Stall		Location
Name	AIR FRAME PARTS				Valve	1B833V		1	AR	
And the second					Fairlead Tubular	1560-UH-1-755-1		2	FN	
X Tube Stap, FWD	205-030-291-		2	FN	Chain Assy	1560-UH-1-752-1		1	FN	
X Tube Stap, AFT	205-030-292-		2	AR	Cable Assy.	205-001-720-001 205-001-706-9		1	FN FN	
Strct. Fitting	205-031-821-1		1	FN	Cable Assy. Pulley	204-001-044-1,-17		2	AR	
Hsg. Stick, Coll.	204-001-601-1		1	AR	Lock Plate	204-011-707-001		2	FN	
Friction Lining	204-001-274-1		4	FN	Connect. Link	204-011-762-11		0	FN	
Lever, Elev. Assy	204-001-902-1		0	AR	T/R Split Cones	204-010-724-5		1 set	FN	
	and the second sec		0	and the second state of a second	Quill Housing	204-010-775-3		4	FN	
Idler Assy.	205-001-908-1	_	1	FN	Quill Assy.	204-010-740-5		1	OH	
Lever, Remote	204-001-855-1F		1	AR	Bearing Bolt	204-040-406-1 AN23-11		1	AR FN	
Stop, Coll. Servo	205-001-105-1		2	AR	Tab Washer	A14985P		7	FN	
Mount Eng. Brkt.	205-060-135-1		4	AR	Key Washer	MS172206		1	AR	
Mount Eng. Brkt.	205-060-139-001		1	AR	Pulley Pin	MS20392-2C43		1	FN	
Shackle, Tie Down	205-031-323-1		0	FN	T/R cable grommet	511154-3 ATS		2		
Seat Mount	205-070-764-1		2	AR	Cork plugs	7-791Q		2		
	203-070-704-1 Specifications as of 21 Jan 2				Anti-chaff	1560uh-1-711-1			enence w	atters.



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

<u>Y BIN 9</u>	Part No.	Serial No.	Qty	Condition	Name	Part No.	Serial No.	Qty	Condition
Name	MISC UH-1 PARTS				<u>Y BIN 12</u>	Elect. Canon Plugs			
Cambox Droop	204-060-787-9	1	1	FN	Canon Plug	MS3116F10-6P		3	FN
Servo boot	204-076-410-001	2 0	2	FN	Canon Plug	MS3101A24-11S		1	SVC
			0.32		Canon Plug	MS3107A24-11P		1	SVC
Resil. Mount	204-030-930-019		4	AR	Canon Plug	MS3102R16S-5P		4	FN
Fitt., Fuel, Outlet	205-062-644-1	-	1	AR	Canon Plug	MS3470L14-5S	2 8.	3	FN
Mag. Brake	204-001-376-3		1	FN	Canon Plug	MS3106E-16S		8	FN
Ret. Ring	M27426-3181B		1	FN	Canon Plug	MS3114E10-6P		1	FN
Tab Washer, Eng.	STD3018K11	8	1	FN	Canon Plug	MS3108R14S-6S		1	FN
Boot	204-076-171-001		2		Canon Plug	165-61-1008		2	AR
Y BIN 10	Part No.	Serial No.	Qty	Condition	Canon Plug	MS3102E		1	FN
1 () () () () () () () () () (Sector Se		det	contantion	Canon Plug	MS3476L14-5P	2 42	1	FN
<u>Name</u>	Belly/ Remote Hoo	ok Parts			Canon Plug	MS3057-16A		1	
Rot. Actuator	A-35198-001		1	FN	Canon Plug	MS3116E8-4S		3	
Rot. Solenoid	H-2527-023		2	FN	Electrical pins	M39029/4-111		6	
Rot. Actuator	H-1225-022	8	2	FN	Canon Plug	10-101984-103		1	
Bolt	AN28-23		1	FN	<u>Y BIN 13</u>	Oil Systems Parts			
Pin	204-072-003-1		3	FN	Name Name	Part No.	Serial No.	Qty	Condition
Travel stop 6k swivel	291-564-00		1	FN	Xmsn Oil Filt. Assy.	02W10116		1	OH
Traver stop ok swiver	231-304-00		1		Oil Press. Xmtr	418-00044		2	OH
Manua	Dout Ma	Contal No.	0	Condition	Site Glass, Oil	204-040-514-001		3	FN, AR
<u>Name</u>	Part No.	Serial No.	Qty	Condition	Xmsn press adjust	204-040-368-1		0	FN
<u>Y BIN 11</u>	Elect. Switches				Acces. Gearbox Fitt.	MS24392J4		4	NE/AR
Relay, 200A	MS24171-D1		2	SVC	Elbow, Boss	AN939D10		1	AR
Relay, 50A	MS24166-D1		0	SVC	Tee, Boss	AN938D10		1	AR
Relay, 10A	MS24149-D1		2	FN	Nipple, Tube	MS24392D10		1	AR
Relay, Thermal	212-075-236-31		1	FN	Elbow, Tube	MS24394D10		1	AR
0.4.40					Reducer Tube	MS24399D15		1	AR
Tog Switch	MS24524-23		0	FN	Packing	MS29513-010		3	
Fire control assy	227-02851	a a	1	AR	Packing	MS9021-034		3	
					Gov shaft star nuts	1-160-589-02		5	
					Check Valve	205-062-655-1		1	

Fitting

Rotary pump booster

Xmsn relief valve elbow 204-060-464-01

Gov shaft tube

MS24392J4

1-300-221-03

1-160-464-01



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

1 Experience matters.

4

1

1

AR

AR

AR

<u>Y BIN 14</u>	Rotating Bolts				<u>Y BIN 16</u>	Misc AC Parts			
Name	Part No.	Serial No.	Qty	Condition	Name	Part No.	Serial No.	Qty	Condition
L/H sliding door bracket	205-031-433-1		1	NE	Handle, Door	205-031-514-3		2	AR
Bolt	20-057-8S90D		2	NE	Cargo Door Roller	205-030-437-7		2	FN
Bolt	20-057-8S69D		2	NE	Cargo Door Roller	205-030-437-5		1	FN
Bolt	NAS6605D30		2	NE	Slide Assy., Cargo	204-030-220-1		2	FN
Bolt	NAS1306-27DH		2	NE	Roller Linear	204-030-788-1	310	6	FN
Y BIN 15	Misc AC Parts				Boot, Dust	204-030-922-3		2	AR
Name	Part No.	Serial No.	Qty	Condition	Bushing, Sleeve	204-010-413-31		2	FN
	and the second	<u>Schurito.</u>	Contraction of the local sectors of the local secto		Bushing, Sleeve	204-010-413-39		2	FN
Chip Detector	B3225C		1	AR	Bushing , Sleeve	204-011-456-001		1	FN
Chip Detector	B752G		1	AR	Clamp, Hose	AN737TW34		2	FN
Chip Detector	B3703		1	AR	Spring, Sheet	NAS487-9,11,14,16	5	25	FN
Temp Plate	6000-1,-3		10	FN	Pin, Retaining	AN416-2	o e	25	0
Door Latch Pins	NAS561-C3-12		10	FN	Bolt, Eye	AN42B3A	310	8	FN
Retainer Ring	1943-5		12	FN	Bolt, Eye	AN42B5A		1	FN
Retainer Ring	1941-5	1	10	FN	Bolt, Eye	AN44-15A		3	FN
Release Pin	5-780-010		1	FN	Nut, Plain, Blind	NAS1329A08K-75		40	FN
Bleed Band Retainer	2-160-561-01		1	FN	Nut, Plain, Blind	NAS1329A06-75		40	FN
Bear Paw cap	AAL-290-042-002		2	FN	Fitting, Oil Xmtr	MS24394-4		1	AR
Locking Plate	1-190-019-03		9	AR					
Locking Plate	1-190-019-02		1	AR	Y BIN 17	AN Hex Nuts	1		1
Panel Fasteners	PF3 1-2-38		2	AR	Name	Part No.	Serial No.	Qty	Condition
M/R Hub Key	204-011-211-101		2	FN	Nut		Seriar No.	and the second	AR
Support Bracket	1250402-11		4	AR		AN924-3		4	
Gasket	1-110-197-01		4	FN	Hex Nut	AN924-4		2	SV
Straight Pin	204-060-752-5		5	FN	Nut	AN924-3D	-	5	NS
Grease Fittings	NAS516-1A		25	FN	Nut	AN924-8D		5	NS
Sleeve Bolt	1915 5 3		1	AR	Nut	AN924-45		5	NS
Straight Pin	NAS607-4-20		4	FN	Nut	AN924-4D		5	NS
Nut Retainer	NAS578-4A		4	FN	Nut	AN924-5D		5	NS
Nut Retainer	NAS578-7A		4	FN	Nut	AN924-12		2	AR
Retainer Ring	NAS577-B7A		1	FN	Nut	AN924-12D		5	NS
Bolt, Shear	204-011-461-1	1	2	FN	Nut	AN924-6D		10	NS
Bolt, Shear	204-011-463-1	1	2	FN	Nut	AN924-10	2	5	AR
Set Screw	D3533-1	1	4	FN	Nut	AN924-8J		2	NS
Set Screw	D2747		8	FN	Nut	AN924-10D		5	NS
Nut	MS21042-4		25	NE	Nut	AN924-8	1	5	AR



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

<u>Y BIN 18</u>	Clamp, Loop (Ad	<u>el)</u>		
Name	Part No.	Serial No.	Qty	Condition
Clamp, Loop	MS21919-ALL		50	FN
Clamp, Loop	MS25281-ALL		50	FN
Store In the second				
<u>Y BIN 19</u>	SS Wire, Safety V	<u>Vire</u>		
Name	Part No.	Serial No.	Qty	Condition
Wire, Safety	N/A		Lots	FN
<u>Y BIN 20</u>	Misc. Elect. Fittin	ngs		
Name	Part No.	Serial No.	Qty	Condition
Cable Nipple	MS25171-ALL		Lots	FN
Nylon Ftgs, Pitot	26?N		Lots	FN
<u>Y BIN 21</u>	Nut Plates			
Name	Part No.	Serial No.	Qty	Condition
Nut Plates	MS210-ALL		Lots	FN

Y BIN 22	Teflon/ Gaskets			
Name	Part No.	Serial No.	Qty	Condition
Retainer Packg.	MS28774-All		Lots	FN
Retainer Packg.	MS28773-All		Lots	FN
Retainer Packg.	MS9058-06	0. c [.]	25	FN
Gasket	205-040-187-003	584	3	FN
Gasket	MS9136-01		2	FN
Gasket	MS9135-01/AS349	2-01	8	FN
Gasket	MS9134-01		7	FN
Gasket	AN123026		2	FN
Gasket	RB11226		3	FN
Gasket	RB11374		4	FN
Gasket	1-080-026-01	S. C.	2	FN
Gasket	1-160-454-01		3	FN
Gasket	204-040-759-001		0	
Crush Wash.	MS35769-24		4	FN
Crush Wash.	MS35769-26		7	FN
Gasket	MS35796-11		8	FN
Gasket	RB11226		1	
Gasket	MS9135-01		4	FN
Gasket	AN123026	0 0	2	FN
Y BIN 23	Misc. UH-1 Parts	1		
Name	Part No.	Serial No.	Qty	Condition
Univ. Link	204-011-128-1		3	AR
Trunnion Assy.	KSP 9001-5		0	AR
Snubber for trunnions	KSP9057	0 0.	6	FN
Boots	204-030-922-3	3 C	4	NE



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

COMPONENT	ICA#	S/N	AFTT	Comp total time	Date Compliance	Hours Compliance
Minuteman 703/150 hr	MA003	LE 15521Z	14166.9	9602.4	24 Oct 24	9560.0
Dual Pedal Annual/150hr	337		14166.9		Dec 14, 2024	14153.2
Bearpaws Annual/100hr	AAL290045701		14166.9		31 Dec 24	14166.9
Van Horn Annual/100hr	VMMUH1306		14166.9		8/24	14124.5
Onboard 200hr lube	12002100	8403	14166.9		12/14/2024	14153.2
AFS 100hr/ annual	AFSBH205IBF		14166.9		15 Dec 24	14153.2
Dart skids 300hr/12mos	D205-634		14166.9		Oct 9, 2024	14069.7
Dart x tubes 300hr/2yr	D212-664		14166.9		Oct 9, 2024	14069.7
Dart trim kit 300hr	D412-775-01		14166.9		7/24/24	13938.0
Pulselight Annual	000PMAN0002		14166.9		2/21/24	13356.7
Vertref door 300hr/12mo			14166.9		Oct 9, 2024	14069.7
AKV Cycle 12mo	T53-900		14166.9		12/14/24	14153.2
Airframe hook 3 yr ovhl	MSIMNL003		14166.9		11 Dec 22	N/A
Remote hook 5yr ovhl			14166.9		10/22	N/A
AFS Filter 300hr/12mo	AFSBH205IBF		14166.9		20 Sept 24	14024.7
Swivel 5yr/1k hrs			14166.9		3 Nov 22	13300.5



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

COMPONENT	Next Date Due	Next Hrs Due	Days Remaining	Hrs Remaining
Minuteman 703/150 hr	N/A	9710.0	N/A	107.6
Dual Pedal Annual/150hr	12/25	14303.2	12 months	136.3
Bearpaws Annual/100hr	12/25	14266.9	11.5 months	100
Van Horn Annual/100hr	10/25	14224.5	12 months	57.6
Onboard 200hr lube	N/A	14353.2	N/A	186.3
AFS 100hr/ annual	12/25	14253.2	12 months	86.3
Dart skids 300hr/12mos	2/25	14369.7	12 months	202.8
Dart x tubes 300hr/2yr	2/12/2026	14369.7	23 months	202.8
Dart trim kit 300hr	N/A	14238.0	N/A	71.1
Pulselight Annual	2/21/2025	N/A	6 months	
Vertref door 300hr/12mo	2/12/25	14369.7	6 months	202.8
AKV Cycle 12mo	12/14/25	N/A	1 year	
Airframe hook 3 yr ovhl	11 Dec 25	N/A	30 months	
Remote hook 5yr ovhl	10/27	N/A	3 years	
AFS Filter 300hr/12mo	9/25	14324.7	12 months	157.8
Swivel 5yr/1k hrs	3 Nov 27	14300.5	4 yrs	133.6



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

Description	
Chadwick Vibrex 177	
ACES 2000HR Vibrex w/ Eng. Vibe Kit	
Misc.UH-1 Tooling	
Gil Batt Chrgr	
Gil Capacity Tester	TDMC-90
Aircraft Scales and Jacks	TCT-1000
MR Hub Static Balance tool	
HeliBasket 9'x5'	
Various Longlines (1 new)	
Remote Hooks x 3	
New Bale Nets x 3	
Bambi Max Bkt	
Bambi Spares Kit	
Bambi Bkt	
Sacs-A-Foam (FN)	
Concrete Buckets x 2	
Hyd. Grapples	
Grapple Spares Kit	



Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.


Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.

205 (BELL UH-1H) HUEY SN 9431s





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.





Specifications as of 21 Jan 2025. Specifications are provided as introductory information only and subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation. Verification of hours, installed equipment and aircraft condition is the sole responsibility of Purchaser or lessee. Some photos may be modified. Information has been provided by the Seller and has not been independently verified by Wetzel Aviation and Purchaser or lessee must rely on its own inspection.

Experience Matters.



Wetzel Aviation appreciates the interest that you have in our client's aircraft. We are a global leader in aviation consulting offering aviation acquisition, resale, and leasing strategies on behalf of our valued customers. Wetzel Aviation is a member of the International Aircraft Dealers Association and adheres to a strict member code of ethics. Your Experience Matters to us and our team of IADA Certified industry professionals. Our network of knowledgeable industry partners assure that you experience solid aviation solutions. We look forward to working with you.

